THE PLANT DISEASE REPORTER

Issued By

THE PLANT DISEASE SURVEY

Division of Mycology and Disease Survey

BUREAU OF PLANT INDUSTRY, SOILS, AND AGRICULTURAL ENGINEERING

AGRICULTURAL RESEARCH ADMINISTRATION

UNITED STATES DEPARTMENT OF AGRICULTURE

SUPPLEMENT 166

INDEX TO SUPPLEMENTS 161-165, 1946

Supplement 166 Issued May 15, 1947

The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Division of Mycology and Disease Survey serves merely as an informational clearing house. It does not assume responsibility for the subject matter.

PLANT DISEASE REPORTER SUPPLEMENT

Issued by

THE PLANT DISEASE SURVEY
DIVISION OF MYCOLOGY AND DISEASE SURVEY

Plant Industry Station Beltsville, Maryland

INDEX TO PLANT DISEASE REPORTER SUPPLEMENTS 161-165, 1946

Compiled by Nellie Ward Nance

Plant Disease Reporter
Supplement 166

Index to Supplements
1946

LIST OF SUPPLEMENTS

Supplement 161. Studies on vegetable seed treatments in 1944. pp. 1-66. June 1, 1946.
Report of the Vegetable Seed Treatment Sub-Committee of the Seed Treatment Committee of the American Phytopathological Society, C. M. Haenseler, Chairman. Reports compiled by various authors; see its table of contents, and author index below.

Supplement 162. A contribution to the fungus flora of Utah and Nevada. pp. 67-99. June 15, 1946. By Arthur S. Rhoads
Fungi listed alphabetically under Phycomycetes, Ascomycetes, etc. Only host and fungus genera listed in the following index.

Supplement 163. Rootrots and leafspots of grains and grasses in the Northern Great Plains and Western States. pp. 101-268. June 15, 1946. By Roderick Sprague.
Contains its own host index, p. 258, and fungus index, p. 263. Only fungus genera listed below. State references in subject index do not include pages from this supplement.

Supplement 164. Late blight on potato and tomato in 1946. pp. 269-296. July 15, 1946.
Reports by various authors; see author index

Supplement 165. The 1946 epiphytotic of late blight on tomato. pp. 297-345. November 15, 1946.
Reports by various authors; see its table of contents, and author index below.

Supplement 166. INDEX to Supplements 161 to 165. pp. 347-353. (Issued May 15, 1947)

AUTHOR INDEX

ANDES, J. O. 277, 307

BARNETT, H. L. 287, 315
BEECHER, F. S. (15), (59)
BOEVE, G. H. 293, 334
BOYD, O. C. 327, 341
BROWN, J. G. 340
BUCHHOLTZ, W. F. 337
BURKE, O. D. . . . . (344)

CHESTER, K. STARR 339
CHUPP, CHARLES 287
COOK, HAROLD T. . . . 282, 314
COX, C. E. 284, (316)

DAVIDSON, RICHARD S. 326
DAVIS, B. H. . . . 11, 52, (322)
DOOLITTLE, S. P. 15, 59

ELLIS, D. E. 281, 312
EPPS, WILLIAM M. . . . 280, 310

FENNE, S. B. 283, 313
FOLSOM, DONALD 295, 329

GARDNER, M. W. 296
GARRISS, H. R. 281, 313

HAENSELER, C. M. . . 2, 286, 322
HARRIS, M. R. 338
HEUBERGER, J. W. . . . 285, 319
HIGGINS, B. B. 279
HORNBALL, J. G. 326
HUNGERFORD, C. W. 340

JEHLE, R. A. . . . . (284), 316
JENSEN, J. H. 282

KING, T. H. 291, 331
KIRBY, R. S. 289, 318

LEACH, L. D. 6
LINN, M. B. 294, 335

MILLER, JULIAN H. 278

NEWHALL, A. G. 25

PARRIS, G. K. 20, 45
PERSON, L. H. 274, 305
PORTER, R. H. 42
PRESLEY, JOHN T. 275, 306

REINKING, OTTO A. . . . 288, 324
RHOADS, ARTHUR S. 67
RICHARDS, W. C. 328

SAWSON, R. W. 291, 332
SCHROEDER, W. T. 31, (288), (324)
SEAL, J. L. . . . . (309)
SHERF, ARDEN F. 339
SPRAGUE, RODERICK 101
STAKMAN, E. C. 336
STARK, F. C. . . . . (316)

THOMAS, W. D., Jr. 338
TISDALE, W. B. 307
TUCKER, C. M. 338

VALLEAU, W. D. 306
VAUGHAN, EDWARD K. 308
VAUGHAN, R. E. 295, 336

WEAVER, L. O. 344
WILSON, CCYT 275, 309
WOODS, M. W. . . . . (284)

YOUNG, H. C. 290, 330
YOUNG, P. A. 340
YOUNG, V. H. 339

SUBJECT INDEX

Abies: 68, 83, 94, 95, 96
Acer: 68, 72, 95, 98, 99
Achillea: 88
Actinea: 87
Agaricus, 93
Agastache: 73
Agoseris: 87
Agropyron: 90
Airplane dusting, of potato, 276, 282; tomato 292, 302
Alabama, 275, 309
Albugo, 68
Alnus: 71, 72
Alternaria, 172, 200
Althea: 88
Amelanchier: 71, 79
Ansatospora, 173
Aphanomyces, 105, 189
Aquilegia: 70
Arabis: 87, 88, 89
Arasan, 6, 11, 15, 20, 25, 30, 31, 42, 45, 52, 59
Arctium: 85
Arizona, 340
Arkansas, 339
Artemisia: 69, 71, 73, 74, 84
Ascospora, 138
Ascochyta, 120 ff., 127, 155, 158, 160, 163; key to spp., 121
Ascochytella, 120, 121, 126
Ascochytula, 120, 121, 123, 126
Ascomycetes, 68, 102, 103, 111
Aster: 69

Baccharis: 86
Balsamorhiza: 84
Barbak C, 52
Basidiomycetes, 93, 102, 103, 116, 119
Basisporium, 207
Beet: seed treatment studies, 6
Betula: 96
Bordeaux, 278, 282, 283, 284, 289, 290, 291, 294, 296, 301, 302
Brachycladium, 199, 200
Brachysporium, 195, 199
Brodiaea: 89
Bromus: 92

California, 296
Calochortus: 85
Calonectria, 185
Camelina: 68
Carex: 84, 85
Carrot: seed treatment studies, 11
Cephalosporium, 173
Cercocarpus: 71
Cercospora, 153, 173, 174, 175, 176, 212
Cercosporella, 112, 167, 176, 177, 178, 183, 188; key to spp., 176
Cereals and grasses: root rots and leaf spots in Northern Great Plains and Western States, 101-268
Ceresan, 6
---, New Improved, 15, 59
Chrysothamnus: 74, 86
Cirsium: 69, 85
Cladosporium, 113, 114, 178
Clematis: 70, 90, 98
Colletotrichum, 137, 168, 169
Colorado, 338
Coniothyrium, 126
Connecticut, 326
Contribution to the fungus flora of Utah and Nevada, Suppl. 162, pp. 67-99
Copper dusts and sprays, 277, 279, 280, 281, 282, 283, 284, 286, 289, 290, 291, 294, 301, 302
Coprinus, 93
Corn, sweet: seed treatment studies, 52
Cornus: 72
Corticium, 116, 117
Crataegus: 75, 76
Crepis: 87
Cronartium, 75
Crucibulum, 93
Cryptosporium, 97

Cucumber: seed treatment studies, 15
Cucurbitaria, 68
Cumminsiella, 75
Curvularia, 178, 179, 180, 193, 195, 199, 200
Cylindrosporium, 97, 150
Cynoglossum: 69

Darluca filum, 125
Dasyscypha, 68, 69
Davisiella, 171
Delaware, 285, 319
Delphinium: 70
Dibotryon morbosum, 69
Dilophia, 126
Dilophospora, 126
Diplodia, 127
Diplodina, 120, 121, 124, 127
Discina, 69
Distichlis: 84, 93
Dithane, 274, 276, 282, 285, 286, 290, 301
Dothichloë, 111
Dothidella, 112, 171

Elymus: 90
Entyloma, 116
Ephedra: 73, 74, 83
Epichloë, 112
Epilobium: 91
Eriogonum: 92
Erysiphe, 69, 70
Eurychasmidium, 106

Fermate, 25, 30, 42, 45, 302
Florida, 307
Fomes, 93, 94
Formaldehyde, 30
Fungi Imperfecti, 97, 102, 103, 120
Fungicides used for tomato late blight control, 301
Fungus flora of Utah and Nevada, 67
Fusarium, 112, 171, 172, 180 ff.; key to spp., 181
Fusoma, 171

Georgia, 278, 279, 308
Gibberella, 112, 184, 185
Gloeosporium, 97, 168, 169
Glycyrriza: 91
Grindelia: 70
Guepiniopsis, 94
Gutierrezia: 86
Gymnosporangium, 75-82
Gyromitra, 71

He 178e, 301
Helenium: 70, 86
Helianthus: 70, 87
Helminthosporium, 115, 127, 172, 179, 180, 183, 189 ff., 197 ff.
Helotium, 71
Hendersonia, 125, 127, 164, 167; key to spp., 128
Heterosporium, 203, 204
Hilaria: 93
Hormodendrum, 113
Hydrophyllum: 90
Hymenoclea: 90
Hypochnus, 117
Hysterographium, 71

Idaho, 340
Illinois, 293, 294, 334, 335
Indiana, 291, 332
Iowa, 337
Iris: 88

Juncus: 92
Juniperus: 74, 76, 77, 78, 79, 80, 81, 82, 93, 94

Kentucky, 306

Lachnellula, 71
Lasiobotrys, 71
Late blight on potato and tomato in 1946, Suppl. 164, pp. 269-296
Late blight, on pepper, 305, ? 324, 333
---, on Solanum sarachoides, 296
---, on tomato, control by custom spray ring 344; epiphytotic of 1946 297-345; losses 298

Lathyrus: 91
Leptosphaeria, 112, 146.
Lettuce: seed treatment studies, 20
Libocedrus: 79.
Lomatium: 88
Lophodermium, 71
Losses from tomato late blight, 298
Louisiana, 274, 305
Lycium: 86
Lygodesmia: 87

Macrophoma, 130, 153.
Macrophomina, 130
Mahonia: 75
Maine, 295, 329
Malva: 88
Maryland, 284, 316.
Massachusetts, 327, 341
Mastigosporium, 126, 171, 205, 206; key to spp., 205
Medicago: 73, 92
Melampsora, 82, 83.
Melampsorella, 83
Melanconiales, 168
Melanomma, 71
Mentha: 70, 88
Microsphaera, 71, 72
Minnesota, 336
Mississippi, 275, 306
Missouri, 338
Mitella: 87
Moniliales, 172
Monilinia, 97
Mycosphaerella, 72, 113, 114, 138, 178

Napicladium, 195, 206, 212
Nebraska, 339
Nevada, 67
New Hampshire, 328
New Jersey, 286, 322
New York, 287, 288, 324
Nigrospora, 207
North Carolina, 281, 282, 312, 313

Ohio, 290, 291, 330, 331.
Oklahoma, 339
Onion: seed treatment studies, 25
Onhiobolus, 114, 189, 197.
Ophiocladium, 207
Opuntia: 74, 98.
Osmorrhiza: 89
Ovularia, 98, 207, 208.

Paneolus, 94
Passalora, 212
Pea: seed treatment studies, 31
Pellicularia, 117.
Penicillium, 208, 209
Pennsylvania, 289, 318, 344
Pepper: late blight 305, ? 324, 333
Peridermium, 83
Phaeoseptoria, 128, 130, 148
Phlox: 89
Phlyctaena, 133
Pholiota, 94.
Phoma, 131, 132, 153, 157, 168
Phragmidium, 83, 84
Phycomycetes, 68, 102, 103, 105
Phygon, 301
Phyllachora, 115, 116, 171
Phyllactinia, 72
Phyllosticta, 98, 99, 131, 132, 134, 136, 160; key to spp. on grasses, 131
Physoderma sp., 203
Phytophthora, 105, 106
--- infestans (see also late blight, potato, tomato), on pepper 305, ? 324, 333; Solanum sarachoides 296; tomato and potato in 1946, 269-296; tomato epiphytotic of 1946, 297-345
--- terrestris, 288
Picea: 71, 95, 96
Pinus: 96
Piricularia, 209
Plantago: 70
Platanus: 97
Pleospora, 214
Pleurotus, 95
Podosphaera, 72

Polemonium: 70
Polygonum: 70, 89
Polyporus, 95, 96
Populus: 71, 72, 74, 82, 93, 94, 95, 96, 97
Potato and tomato: late blight, 269-296
Protomyces, 106
Prunus: 69, 72, 95, 97, 98, 99
Pseudodiscosia, 169
Pseudopeziza, 73
Pseudotsuga: 69, 94, 95
Puccinia, 84-91, 183
Pucciniastrum, 91
Pyrenophora, 115, 190, 199, 201
Pythium, 10, 107, 108, 109, 110, 111, 189, 195, 196

Quercus: 72

Ramularia, 208
Red copper oxide, 11, 20, 25, 31
Resistance and susceptibility, of tomato to late blight, 311, 324, 325, 326, 328, 330, 335
Rhabdospora, 136, 163
Rhizoctonia, 10, 115, 117, 185, 200
Rhode Island, 326
Rhynchosporium, 209, 210
Rhytisma, 73
Ribes: 75, 99
Rootrots and leafspots of grains and grasses in the Northern Great Plains and Western States, Suppl. 163, pp. 101-268; host index p. 258, fungus index p. 263
Rosa: 83
Rubus: 83, 84
Rudbeckia: 70
Rumex: 98

Salix: 73, 74, 83
Sclerotinia, 115, 119
Sclerotium, 118, 119, 130
Scolecotrichum, 132, 195, 204, 211, 212, 213
Seed treatment, effect on plant vitality, 40, 53; protective value against fertilizer injury, 40; studies 1-66
Selenophoma, 132 ff., 136 ff., 147, 159; key to spp., 132
Semesan, 11, 15, 20, 25, 59
--- Jr., 52
Senecio: 73, 90
Septogloeum, 112, 170 ff
Septoria, 98, 99, 113, 118, 122, 124, 125, 133-165, 170; key to grass spp. 139
Septoriopsis, 159
Shepherdia: 72, 93
Solanum sarachoides: late blight, 296
Sorghum: 92
South Carolina, 280, 310
Soybean: seed treatment studies, 42
Spergon, 11, 15, 20, 25, 31, 42, 52, 59
Sphacelotheca, 92
Sphaeropsidales, 120
Sphaeropsis, 73
Sphaerotheca, 73
Spinach: seed treatment studies, 45
Sporotrichum, 213
Stagonospora, 125, 147, 148, 150, 151, 153, 154, 155, 163 ff.; key to grass spp. 163
Stemphylium, 172, 214
Stephanomeria: 87
Stropharia, 96
Studies on vegetable seed treatments in 1944, Suppl. 161, pp. 1-66
Symphoricarpos: 71, 72, 99
Syncarpella, 73
Synchytrium, 106

Taraxacum: 73, 87
Teichospora, 74
Tennessee, 277, 307
Tetradymia: 97
Texas, 340
Thiosan, 30

Thlaspi: 91
Thrystroma, 74
Tomato: late blight 269-296, 297-345; control 301, 302, by airplane dusting 302, by custom spray rings 344; epiphytotic of 1946, 297-345; losses by States 298; var. reaction 311, 324, 325, 326, 328, 330, 335
---: Phytophthora terrestris 288
---: seed treatment studies 59
Tomato and potato: late blight, 269-296
Tomato late blight epiphytotic of 1946, Suppl. 165, pp. 297-345
Trametes, 97
Trifolium: 92
Tubercularia, 99
Typhula, 118, 119, 186

Uncinula, 74
Uredinales, 75
Uromyces, 91, 92
Ustilaginales, 92
Ustilago, 92, 93
Utah, 67

Vasco 4, 25
Vegetables: seed treatment studies 1-66; cooperators 4; future plans 2
Viguiera: 70, 84
Viola: 91
Virginia, 282, 283, 313, 314

Washington, 338
West Virginia, 289, 315
Wisconsin, 295, 336
Wojnowicia, 128, 129, 130, 167
Wyethia: 85

Yellow Cuprocide, 6, 15, 59

Zerlate, 302
Zinc oxide, 11, 20, 45

LIBRARY
CURRENT SERIAL RECORD
MAY 15 1947
U. S. DEPARTMENT OF AGRICULTURE